# **CLEENOL** For a cleaner, safer world

### SAFETY DATA SHEET CLEENAIR (CRANBERRY, CITRUS, VANILLA, POT POURRI)

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name CLEENAIR (CRANBERRY, CITRUS, VANILLA, POT POURRI) Internal identification 052094, 052085, 052069, 052076 Container size 12x400mL 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses Air freshener 1.3. Details of the supplier of the safety data sheet Supplier Cleenol Group Ltd **Neville House Beaumont Road** Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 sales@cleenol.co.uk 1.4. Emergency telephone number **Emergency telephone** In case of a medical emergency following exposure to a chemical, call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture		
Classification (EC 1272/2008)		
Physical hazards Aerosol 1 - H222, H229		
Health hazards Not Classified		
Environmental hazards Not Classified		

2.2. Label elements

Hazard pictograms



Signal word	Danger
Hazard statements	H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated.
Precautionary statements	<ul> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> <li>P251 Do not pierce or burn, even after use.</li> <li>P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.</li> </ul>

#### 2.3. Other hazards

3.2. Mixtures		
PROPANE		10-15%
CAS number: 74-98-6	EC number: 200-827-9	
Classification		
Flam. Gas 1 - H220		
Press. Gas		
BUTANE		5-10%
CAS number: 106-97-8	EC number: 203-448-7	
Classification		
Flam. Gas 1 - H220		
Press. Gas		
PROPAN-2-OL		1-5%
CAS number: 67-63-0	EC number: 200-661-7	
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
STOT SE 3 - H336		

The full text for all hazard statements is displayed in Section 16.

#### **SECTION 4: First aid measures** 4.1. Description of first aid measures Inhalation Move affected person to fresh air at once. Keep affected person under observation. Get medical attention if any discomfort continues. Ingestion Rinse mouth. Do not induce vomiting. Give a few small glasses of water or milk to drink. Get medical attention if symptoms are severe or persist. Skin contact Wash skin thoroughly with soap and water. Eye contact Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention if any discomfort continues. 4.2. Most important symptoms and effects, both acute and delayed General information The product is considered to be a low hazard under normal conditions of use. Inhalation Prolonged or repeated exposure may cause the following adverse effects: Drowsiness. Headache. Nausea, vomiting. Ingestion No harmful effects expected from quantities likely to be ingested by accident.

 Skin contact
 Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.

**Eye contact** May cause eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed		
Notes for the doctor	No specific recommendations.	
Specific treatments	Treat symptomatically.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Extinguish with the following media: Foam, carbon dioxide or dry powder.	
Unsuitable extinguishing media	None known.	
5.2. Special hazards arising fr	om the substance or mixture	
Specific hazards	Flammable aerosol. Containers can burst violently or explode when heated, due to excessive pressure build-up.	
5.3. Advice for firefighters		
Protective actions during firefighting	Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.	
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	
SECTION 6: Accidental release	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Avoid contact with eyes. No smoking, sparks, flames or other sources of ignition near spillage.	
	If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.	
6.2. Environmental precaution	If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.	
	If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.	
6.2. Environmental precaution	If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.  S Avoid release to the environment.	
6.2. Environmental precaution Environmental precautions	If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.  S Avoid release to the environment.	
6.2. Environmental precaution Environmental precautions 6.3. Methods and material for	If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.  S Avoid release to the environment.  Containment and cleaning up Eliminate all sources of ignition. Absorb spillage with non-combustible, absorbent material.	
<ul> <li>6.2. Environmental precaution</li> <li>Environmental precautions</li> <li>6.3. Methods and material for</li> <li>Methods for cleaning up</li> </ul>	If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.  S Avoid release to the environment.  Containment and cleaning up Eliminate all sources of ignition. Absorb spillage with non-combustible, absorbent material.	
<ul> <li>6.2. Environmental precaution</li> <li>Environmental precautions</li> <li>6.3. Methods and material for</li> <li>Methods for cleaning up</li> <li>6.4. Reference to other section</li> </ul>	If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.  S Avoid release to the environment.  Containment and cleaning up Eliminate all sources of ignition. Absorb spillage with non-combustible, absorbent material.  S For waste disposal, see Section 13.	
<ul> <li>6.2. Environmental precaution</li> <li>Environmental precautions</li> <li>6.3. Methods and material for</li> <li>Methods for cleaning up</li> <li>6.4. Reference to other section</li> <li>Reference to other sections</li> </ul>	If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.  S Avoid release to the environment.  Containment and cleaning up Eliminate all sources of ignition. Absorb spillage with non-combustible, absorbent material.  S For waste disposal, see Section 13.  rage	
<ul> <li>6.2. Environmental precaution</li> <li>Environmental precautions</li> <li>6.3. Methods and material for</li> <li>Methods for cleaning up</li> <li>6.4. Reference to other section</li> <li>Reference to other sections</li> <li>SECTION 7: Handling and store</li> </ul>	If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.  S Avoid release to the environment.  Containment and cleaning up Eliminate all sources of ignition. Absorb spillage with non-combustible, absorbent material.  S For waste disposal, see Section 13.  rage	
<ul> <li>6.2. Environmental precaution</li> <li>Environmental precautions</li> <li>6.3. Methods and material for</li> <li>Methods for cleaning up</li> <li>6.4. Reference to other section</li> <li>Reference to other sections</li> <li>SECTION 7: Handling and stor</li> <li>7.1. Precautions for safe hand</li> </ul>	If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.  S Avoid release to the environment.  Containment and cleaning up Eliminate all sources of ignition. Absorb spillage with non-combustible, absorbent material.  S For waste disposal, see Section 13.  rage ling Avoid inhalation of vapours and spray/mists. Do not pierce or burn, even after use. Keep away	
<ul> <li>6.2. Environmental precaution</li> <li>Environmental precautions</li> <li>6.3. Methods and material for</li> <li>Methods for cleaning up</li> <li>6.4. Reference to other section</li> <li>Reference to other sections</li> <li>SECTION 7: Handling and stor</li> <li>7.1. Precautions for safe hand</li> <li>Usage precautions</li> <li>Advice on general occupational hygiene</li> </ul>	If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.  S Avoid release to the environment.  Containment and cleaning up Eliminate all sources of ignition. Absorb spillage with non-combustible, absorbent material.  S For waste disposal, see Section 13.  rage ling Avoid inhalation of vapours and spray/mists. Do not pierce or burn, even after use. Keep away from heat, sparks and open flame. Do not spray on an open flame or other ignition source.	
<ul> <li>6.2. Environmental precaution</li> <li>Environmental precautions</li> <li>6.3. Methods and material for</li> <li>Methods for cleaning up</li> <li>6.4. Reference to other section</li> <li>Reference to other sections</li> <li>SECTION 7: Handling and stor</li> <li>7.1. Precautions for safe hand</li> <li>Usage precautions</li> <li>Advice on general occupational hygiene</li> </ul>	If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.  Avoid release to the environment.  Containment and cleaning up Eliminate all sources of ignition. Absorb spillage with non-combustible, absorbent material.  S For waste disposal, see Section 13.  rage ling Avoid inhalation of vapours and spray/mists. Do not pierce or burn, even after use. Keep away from heat, sparks and open flame. Do not spray on an open flame or other ignition source. Do not eat, drink or smoke when using this product.	

#### adjate medical attention and aposial treatment peeded 4.2 Indication of any imm

#### 7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide (PUG) for further information.

#### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

# Occupational exposure limits BUTANE

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m<sup>3</sup> WEL = Workplace Exposure Limit.

#### 8.2. Exposure controls

**Protective equipment** 



Appropriate engineering controls	No specific ventilation requirements.
Eye/face protection	No specific eye protection required during normal use.
Hand protection	No specific requirements are anticipated under normal conditions of use.
Hygiene measures	Wash contaminated skin thoroughly after handling.
Respiratory protection	No specific requirements are anticipated under normal conditions of use.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance	Aerosol.
Colour	Colourless.
Odour	Characteristic.
рН	pH (concentrated solution): ~7
Flash point	Not available.
Flammability (solid, gas)	Not available.
Relative density	0.81 @ 20°C
Solubility(ies)	Soluble in water.
Viscosity	Not applicable.
Explosive properties	Not available.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
Other information	None.

SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	Flammable/combustible materials.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid exposing aerosol containers to high temperatures or direct sunlight. Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of ignition. Containers can burst violently or explode when heated, due to excessive pressure build-up.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decomposition	on products	
Hazardous decomposition products	Does not decompose when used and stored as recommended.	
SECTION 11: Toxicological in	formation	
11.1. Information on toxicologi	cal effects	
Toxicological effects	Information given is based on data of the components and of similar products.	
General information	The product is not believed to present a hazard due to its physical nature.	
Inhalation	Prolonged or repeated exposure may cause the following adverse effects: Headache. Nausea, vomiting. Drowsiness.	
Ingestion	No harmful effects expected from quantities likely to be ingested by accident.	
Skin contact	Skin irritation should not occur when used as recommended. Prolonged and frequent contact may cause redness and irritation.	
Eye contact	May cause eye irritation.	
SECTION 12: Ecological information		
Ecotoxicity	No negative effects on the aquatic environment are known.	
12.1. Toxicity		
Toxicity	The product is not believed to present a hazard due to its physical nature.	
12.2. Persistence and degrada	ability	
Persistence and degradability	The product is expected to be biodegradable.	
12.3. Bioaccumulative potentia		
Bioaccumulative potential	No potential for bioaccumulation.	

12.4. Mobility in soil	
Mobility	Soluble in water.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	<u>s</u>
General information	This material and its container must be disposed of in a safe way.
Disposal methods	Do not pierce or burn, even after use. Containers should be thoroughly emptied before disposal because of the risk of an explosion. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 14: Transport inform	nation
14.1. UN number	
UN No. (ADR/RID)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
UN No. (ADN)	1950
14.2. UN proper shipping nam	<u>e</u>
Proper shipping name (ADR/RID)	AEROSOLS
Proper shipping name (IMDG)	AEROSOLS
Proper shipping name (ICAO)	AEROSOLS
Proper shipping name (ADN)	AEROSOLS
14.3. Transport hazard class(e	<u>es)</u>
ADR/RID class	2.1
ADR/RID classification code	5F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1
Transport labels	
14.4. Packing group	

ADR/RID packing group

None

IMDG packing group	None
ICAO packing group	None
ADN packing group	None

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

#### 14.6. Special precautions for user

EmS	F-D, S-U
ADR transport category	2
Tunnel restriction code	(D)

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

#### SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixtureEU legislationRegulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

	$\mathbf{J}$
	December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
	Council Directive of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers (75/324/EEC) (as amended).
	Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste.
	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
	Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).
Guidance	EH40/2005 Workplace exposure limits
	Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations 2002 (as amended)
	Health and Safety Executive

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

Issued by	Regulatory Chemist
Revision date	30/06/2021
Revision	6
Supersedes date	30/06/2020
SDS number	10672

Hazard statements in full	H220 Extremely flammable gas.
	H222 Extremely flammable aerosol.
	H225 Highly flammable liquid and vapour.
	H229 Pressurised container: may burst if heated.
	H319 Causes serious eye irritation.
	H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.